



GF BEARING-SINGAPORE LTD.



2.438 Inch | 61.925 Millimeter x 1.1250 in x 11.25 in timken FSAF 22515 Inch Tapered Bore Mounting Pillow Block SAF225 and SAF226 Series

Bearing No. FSAF 22515

FSAF 22515 Bearing 2D drawings and 3D CAD models

Category	Pillow Block Bearings
Inventory	1.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	13.62
EAN	0087796075559
Product Group	M06288
Number of Mounting Holes	4
Mounting Method	Tapered Adapter Sleeve
Housing Style	4 Bolt Pillow Block
Rolling Element	Spherical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	1/2 Inch
Relubricatable	Yes
Insert Part Number	22215K
Seals	Triple Ring Labyrinth
Housing Configuration	2 Piece Split
Inch - Metric	Inch
Other Features	Double Row
Long Description	4 Bolt Pillow Block; 2-7/16" Bore; 3-1/4" Base to Center Height; Tapered Adapter Sleeve Mount; Spherical Roller Bearing; 8-5/8" Minimum Bolt Spacing;



GF BEARING-SINGAPORE LTD.

	9-5/8" Bolt Spacing Maximum; R
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	http://www.timken.com
Manufacturer Item Number	FSAF 22515
Weight / LBS	30
Nominal Bolt Center to Center	9.1 Inch 232 Millimeter
Bolt Spacing Maximum	9.625 Inch 244.475 Millimeter
B	3.25 Inch 82.55 Millimeter
Actual Bolt Center to Center	0 Inch 0 Millimeter
Bolt Spacing Minimum	8.625 Inch 219.075 Millimeter
d	2.438 Inch 61.925 Millimeter
D	4.75 Inch 120.65 Millimeter
Diameter S-1	2 7/16 in
Adapter Assembly Number ¹	SNW-15 x 2-7/16
Housing Only ²	FSAF 515
A	3.25 in
B	11.25 in
C	3.1250 in
D	1.1250 in
E	9.125 in
E Max.	9.6250 in
E Min.	8.6250 in
F	1.875 in



GF BEARING-SINGAPORE LTD.

Bolt Hole Length	1 in
Bolt Hole Width	0.500 in
H	6.375 in
Triple Seal 2 Req ' d	LOR 37
Assembly Weight	30 lb
Full Timken Part Number	FSAF22515
Seal Type	Triple Ring Seal