



## GF BEARING-SINGAPORE LTD.



3.938 Inch | 100.025 Millimeter x 2.00 in x 16.5  
in timken SAF 22522 Inch Tapered Bore Mounting  
Pillow Block SAF225 and SAF226 Series

Bearing No. SAF 22522

SAF 22522 Bearing 2D drawings and 3D CAD models

Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	36.77
EAN	0087796040038
Product Group	M06288
Number of Mounting Holes	4
Mounting Method	Tapered Adapter Sleeve
Housing Style	4 Bolt Pillow Block
Rolling Element	Spherical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	3/4 Inch
Relubricatable	Yes
Insert Part Number	22222K
Seals	Triple Ring Labyrinth
Housing Configuration	2 Piece Split
Inch - Metric	Inch
Other Features	Double Row
Long Description	4 Bolt Pillow Block; 3-15/16" Bore; 4-15/16" Base to Center Height; Tapered Adapter Sleeve Mount; Spherical Roller Bearing; 12-5/8" Minimum



## GF BEARING-SINGAPORE LTD.

	Bolt Spacing; 14-1/2" Bolt Spacing Maxim
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	<a href="http://www.timken.com">http://www.timken.com</a>
Manufacturer Item Number	SAF 22522
Weight / LBS	81
Bolt Spacing Minimum	12.625 Inch   320.675Millimeter
Nominal Bolt Center to Center	13.6 Inch   344.5 Millimeter
d	3.938 Inch   100.025 Millimeter
Actual Bolt Center to Center	0 Inch   0Millimeter
Bolt Spacing Maximum	14.5 Inch   368.3Millimeter
B	4.938 Inch   125.425 Millimeter
D	6.375 Inch   161.925 Millimeter
Diameter S-1	3 15/16 in
Adapter Assembly Number <sup>1</sup>	SNW-22 x 3-15/16
Housing Only <sup>2</sup>	SAF522
A	4.9375 in
B	16.5 in
C	4.750 in
D	2.00 in
E	13.5625 in
E Max.	14.5000 in
E Min.	12.6250 in
F	2.75 in



## GF BEARING-SINGAPORE LTD.

Bolt Hole Length	1.6875 in
Bolt Hole Width	0.750 in
H	9.5625 in
Triple Seal 2 Req ' d	LOR 109
Assembly Weight	81.000 lb
Full Timken Part Number	SAF22522
Seal Type	Triple Ring Seal