




## GF BEARING-SINGAPORE LTD.



SAF 22638 Bearing 2D drawings and 3D CAD models

6.938 Inch | 176.225 Millimeter x 3.7500 in x 32.7500 in timken SAF 22638 Inch Tapered Bore Mounting Pillow Block SAF225 and SAF226 Series

Bearing No. SAF 22638

Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	297.37
EAN	0087796217287
Product Group	M06288
Number of Mounting Holes	4
Mounting Method	Tapered Adapter Sleeve
Housing Style	4 Bolt Pillow Block
Rolling Element	Spherical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	1-1/2 Inch
Relubricatable	Yes
Insert Part Number	22338K
Seals	Triple Ring Labyrinth
Housing Configuration	2 Piece Split
Inch - Metric	Inch
Other Features	Double Row
Long Description	4 Bolt Pillow Block; 6-15/16" Bore; 9-1/2" Base to Center Height; Tapered Adapter Sleeve Mount; Spherical Roller Bearing; 24-3/4" Minimum Bolt



## GF BEARING-SINGAPORE LTD.

	Spacing; 27-7/8" Bolt Spacing Maximum
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	<a href="http://www.timken.com">http://www.timken.com</a>
Manufacturer Item Number	SAF 22638
Weight / LBS	655
Bolt Spacing Maximum	27.875 Inch   708.025Millimeter
B	9.5 Inch   241.3 Millimeter
Nominal Bolt Center to Center	26.3 Inch   668.3 Millimeter
Actual Bolt Center to Center	0 Inch   0Millimeter
D	11.5 Inch   292.1 Millimeter
d	6.938 Inch   176.225 Millimeter
Bolt Spacing Minimum	24.75 Inch   628.65Millimeter
Diameter S-1	6 15/16 in
Adapter Assembly Number <sup>1</sup>	SNW-138 x 6-15/16
Housing Only <sup>2</sup>	SAF638
A	9.5000 in
B	32.7500 in
C	8.750 in
D	3.7500 in
E	26.3125 in
E Max.	27.8750 in
E Min.	24.7500 in
F	5.25 in
Bolt Hole Length	3.0625 in



## GF BEARING-SINGAPORE LTD.

Bolt Hole Width	1.5 in
H	19.6250 in
Triple Seal 2 Req ' d	LOR 155
Assembly Weight	655 lb
Full Timken Part Number	SAF22638
Seal Type	Triple Ring Seal